

CHEMEON® AlSeal 9100

SECTION 1: Identification

Product identifier: CHEMEON® AlSeal 9100
Other Names: Metalast AlSeal 9100 (prior to June, 2015).
Product Code Number: Not applicable.
Recommended use: Alkaline Corrosion Resistant Anodizing Sealant.
Recommended restrictions: Uses other than as recommended above.

Manufacturer/Importer/Supplier/Distributor information:

Company Name: CHEMEON Surface Technology, LLC.
Company Address: 2241 Park Place, Bldg. B
Minden, NV 89423.
Company Telephone: (775) 782-8324
Company Contact Name: Customer Service
8:00 AM – 5:00 PM PST, Mon-Fri.
Emergency phone number: Chemtrec 24 hr. Emergency Telephone
800-424-9300 within U.S.
703-527-3887 outside U.S.

SECTION 2: Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

Physical hazards

No physical hazards under GHS classification.

Health hazards

Skin irritation, Category 2.

Eye irritation, Category 2.

Environmental hazards

No environmental hazards under GHS classification.

GHS Signal word: WARNING.

GHS Hazard statement(s): H315 - Cause skin irritation.
H319 - Causes serious eye irritation.

GHS Hazard symbol(s):



GHS Precautionary statement(s):

Prevention:

- P264 - Wash skin thoroughly after handling.
- P280 - Wear protective gloves/ eye protection/ face protection.

Response:

- P302+P352 - If on skin: Wash with plenty of water.
- P305 + P351 + P338 – If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 - If skin irritation occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P362 - Take off contaminated clothing and wash it before reuse.

Storage:

- No storage precautionary statements required.

Disposal:

- No disposal precautionary statements required.

Hazard(s) not otherwise

Classified (HNOC): None known.

SECTION 3: Composition/information on ingredients
--

Mixture:

Chemical name	CAS#	Concentration (weight %)
Component A*	*	25-40%

*Chemical name has been withheld from the SDS as a Trade Secret

Note: The balance of the ingredients are not classified as hazardous or are below the concentration limit to be classified as hazardous, under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

SECTION 4: First-aid Measures

Inhalation: Immediately move person to fresh air if vapor or mist of product is inhaled. Seek immediate medical attention if symptoms develop.

Skin contact: Immediately remove all contaminated clothing. Wash affected area with water and soap. If irritation occurs seek medical attention.

Eye contact: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes. Ensure adequate flushing of eyes by separating eyelids with fingers. Seek medical attention.

Ingestion: Wash out mouth with large amounts of water and do not induce vomiting. Seek medical attention.

Most important symptoms/effects, acute and delayed: Prolonged and/or repeated contact may cause fluoride type irritation and/or dermatitis. May cause irritation to the eye. May cause GI irritation, including nausea, vomiting, and diarrhea. May be harmful if swallowed in large quantities. May exacerbate pre-existing eye, skin, and lung disorders.

Indication of immediate medical attention and special treatment needed: If any symptoms are observed, contact a physician and give them this SDS sheet. If exposed or concerned: Get medical advice/attention.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Product is an aqueous mixture and will not burn. Use measures suitable to surrounding fire. Use Water, CO₂ or dry chemical.

Unsuitable extinguishing media: Not applicable.

Specific hazards arising from the chemical: None.

Special protective equipment and precautions for fire-fighters: None.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Evacuate danger area. Stay upwind and away from spill/release. Avoid direct contact with liquid and vapors. For large spillages, notify persons downwind of the spill/release, isolate immediate hazard area and keep unauthorized personnel out. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

Environmental Precautions: Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems, and natural waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements. If spill occurs on water notify appropriate authorities and advise shipping of any hazard.

Methods and material for containment and cleaning up: Absorb spill with inert material and shovel into appropriate waste disposal container. Dispose of collected material according to regulations.

SECTION 7: Handling and Storage

Precautions for safe handling: Do not get this material in your eyes, on your skin, or on your clothing. Wash thoroughly after handling. For industrial use only. Do not take internally. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of the product.

Conditions for safe storage, including any incompatibles: Keep container tightly closed in a cool, well-ventilated place. Keep away from heat and light. Store above 40°F, away from strong bases/alkalis and strong oxidizers. Do not allow material to freeze.

SECTION 8: Exposure controls/personal protection

Control Parameters:

Occupational exposure limits: No data available

Appropriate engineering controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear safety glasses and a face shield where a splash hazard exists. Wear a full-face respirator, if needed. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and Hand protection: Impervious gloves and protective clothing are recommended. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Other: Eye wash, safety shower and washing facilities should be available in the work area.

Thermal hazards: No data available.

SECTION 9: Physical and chemical properties

Appearance

Physical state:	Liquid
Color:	Almost colorless
Odor:	No odor.
Odor threshold:	No data available
pH:	Alkaline
Melting point/freezing point:	freezing point 0 °C

Initial Boiling Point and boiling range:	100 °C
Flash point:	Not applicable
Evaporation rate:	Not determined
Flammability (solid, gas):	Not applicable
Upper/lower flammability or explosive limits	
Flammability limit – lower (%):	Not applicable
Flammability limit – upper (%):	Not applicable
Explosive limit – lower (%):	Not applicable
Explosive limit – upper (%):	Not applicable
Vapor pressure:	Not determined
Vapor density (air=1):	Not determined
Relative density (water = 1):	Not determined
Solubility(ies):	100%
Partition coefficient (n-octanol/water):	Not available
Auto-ignition temperature:	Not applicable
Decomposition temperature:	Not available
Viscosity @ 20°C:	Not available
Weight per gallon:	Not available.
% Volatiles by wt:	0

SECTION 10: Stability and Reactivity

Reactivity:	See [possibility of hazardous reactions.
Chemical stability:	Stable under normal ambient and anticipated conditions of use.
Possibility of hazardous reactions:	When arc welding vessels containing aqueous solutions of this material, take care to control any explosion risk from hydrogen evolved by electrolysis. Aqueous solutions will react with aluminium, zinc, tin and their alloys evolving hydrogen gas which can form an explosive mixture with air. Can react violently if in contact with acids. Can react with sugar residues to form carbon monoxide.
Conditions to avoid:	See above
Incompatible materials:	See above
Hazardous decomposition products:	None known.

SECTION 11: Toxicological information

Information on likely routes of exposure:

Inhalation:	Mist is irritant to the respiratory tract. All symptoms of acute toxicity are due to high alkalinity. Inhalation LC50 (rat) >2.06 g/m3.
--------------------	---

Ingestion:	All symptoms of acute toxicity are due to high alkalinity. Material will cause irritation. Oral LD50 (rat) 3400 mg/kg bw.
Skin:	Material will cause irritation. Dermal LD50 (rat) >5000 mg/kg bw.
Eyes:	Will cause irritation to the eye.
Respiratory sensitization:	No information available on the mixture, however none of the components have been classified for respiratory sensitization (or are below the concentration threshold for classification).
Germ cell mutagenicity:	No information available on the mixture, however none of the components have been classified for germ cell mutagenicity (or are below the concentration threshold for classification).
Carcinogenicity:	No information available on the mixture, however none of the components are listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.
Reproductive toxicity:	No information available on the mixture, however none of the components have been classified for reproductive toxicity (or are below the concentration threshold for classification).
Specific target organ toxicity- Single exposure:	No information available on the mixture, however none of the components have been classified for Specific target organ toxicity- Single exposure (or are below the concentration threshold for classification).
Specific target organ toxicity- Repeat exposure:	No information available on the mixture, however none of the components have been classified for Specific target organ toxicity- Single exposure (or are below the concentration threshold for classification).
Aspiration hazard:	No information available on the mixture, however none of the components have been classified for aspiration hazard (or are below the concentration threshold for classification).
Further information:	No data available

SECTION 12: Ecological information

Ecotoxicity:	Fish (Brachydanio rerio) LC50 (96 hour) 1108 mg/l Aquatic invertebrates: (Daphnia magna) EC50 (48 hour) 1700 mg/l
Persistence and Degradability:	Inorganic. Soluble silicates, upon dilution, rapidly depolymerise degradability into molecular species indistinguishable from natural dissolved silica
Bioaccumulative Potential:	Inorganic. The substance has no potential for bioaccumulation.
Mobility in Soil:	No data available.
Other adverse effects:	The alkalinity of this material will have a local effect on ecosystems sensitive to changes in pH.

SECTION 13: Disposal considerations**Disposal instructions:**

Product - Dispose of this material and its container to hazardous or special waste collection point. This material is classified as hazardous waste under EC Directive 2008/98/EC. This material is classified as hazardous waste under the Hazardous Waste (England and Wales) Regulations SI 2005 No. 894. This material is classified as hazardous waste under the Hazardous Waste (England and Wales) Regulations SI 2005 No. 894. Disposal should be in accordance with local, state or national legislation.

Contaminated packaging - Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near this container.

SECTION 14: Transport Information**Land transport DOT**

This material is not classified as dangerous under DOT regulations.

Maritime transport IMDG

This material is not classified as dangerous under IMDG regulations.

Air transport ICAO-TI and IATA-DGR

This material is not classified as dangerous under IATA regulations.

Environmental hazards

Marine pollutant: No.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

No further relevant information available.

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

None.

SECTION 15: Regulatory Information**USA:**

United States Federal Regulations: This SDS complies with the OSHA, 29 CFR 1910.1200. The product is hazardous under OSHA.

Toxic Substances Control Act (TSCA) – All substances in this product are listed, as required, or are exempt from the TSCA inventory.

CERCLA Hazardous Substance List, 40 CFR 302.4: None

SARA Title III

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A): None

Section 311/312 (40 CFR 370):

Acute Health Hazard: Yes

Chronic Health Hazard: No

Fire Hazard: No

Pressure Hazard: No

Reactivity Hazard: No

Section 313 Toxic Release Inventory (40 CFR 372): None

STATE REGULATIONS:

This SDS contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

California Proposition 65 (California Safe Drinking Water and Toxic Enforcement Act of 1986): This product does not contain chemicals known to the State of California to cause reproductive effects.

New Jersey Right to Know: None

Pennsylvania Right to Know: None

SECTION 16: Other Information

To the best of our knowledge, the information contained herein is accurate. However, CHEMEON Surface Technology, LLC does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.